

Date
21.04.2022

Index number
TRAFICOM/13926305.03.42/2022

COMMUNICATION



Concerning:

APPROVAL GRANTED
~~APPROVAL EXTENDED~~
~~APPROVAL REFUSED~~
~~APPROVAL WITHDRAWN~~
~~PRODUCTION DEFINITELY DISCONTINUED~~

of a type of mechanical coupling device or component pursuant to Regulation No. 55

APPROVAL No. E17*55R02/01*0020*00

E17*55R02/01*0020*00

1. Trade name or mark of the device or component: TAV42-855, B190, TAV190
2. Type of device or component: B190
3. Manufacturer's name and address: M. Korte Oy
Menotie 2
FI-33470 Ylöjärvi
Finland
4. If applicable, name and address of the manufacturer's representative: n.a.
5. Alternative supplier's names or trademarks applied to the device or component: n.a.
6. Name and address of company or body taking responsibility for the conformity of production: See item 3.
7. Submitted for approval on: 29.03.2022
8. Technical Service responsible for conducting approval tests: Oy Testmill Ltd
Tuottajantie 29 E1
FI-60100 Seinäjoki
Finland
9. Brief description:
- 9.1. Type and class of device or component: Non-standard drawbeam of class I



9.2. Characteristic values:

9.2.1. Primary values:

D	190 kN
D _c	120 kN
S	1000 kg
U	n.a.
V	50 kN

Alternative values:

D	- kN
D _c	- kN
S	- kg
U	- tonnes
V	- kN

9.3. For Class A mechanical coupling devices or components, including towing brackets:

Maximum permissible vehicle mass as declared by the vehicle manufacturer's: n.a.

Distribution of maximum permissible vehicle mass between the axles: n.a.

Vehicle manufacturer's maximum permissible towable trailer mass: n.a.

Vehicle manufacturer's maximum permissible static mass on coupling ball: n.a.

Maximum mass:

Maximum mass of the vehicle, with bodywork, in running order, including coolant, oils, fuel, tools and spare wheel (if supplied) but not including driver: n.a.

Loading condition under which the tow ball height of a mechanical coupling device fitted to category M₁ vehicles is to be measured - see paragraph 2. of Appendix 1, Annex 7: n.a.

9.4. For Class B coupling heads, is the coupling head intended to be fitted to an unbraked O₁ trailer: Yes / No

10. Instructions for the attachment of the coupling device or component type to the vehicle and photographs or drawings of the mounting points (see Annex 2, Appendix 1) given by the vehicle manufacturer:


See attachment No. 25 of the information document



Date
21.04.2022

Index number
TRAFICOM/13926305.03.42/2022

11. Information on the fitting of any special reinforcing brackets or plates or spacing components necessary for the attachment of the coupling device or component (see Annex 2, Appendix 1): See attachment No. 25 of the information document
12. Additional information where the use of the coupling device or component is restricted to special types of vehicles - see Annex 5, paragraph 3.4. n.a.
13. For Class K hook type couplings, details of the drawbar eyes suitable for use with the particular hook type: n.a.
14. Date of test report: 21.04.2022
15. Number of test report: TM*T196*R55*00422
16. Approval mark position: Lower right corner of the rear face of the drawbeam
17. Reason(s) for extension of approval: -
18. Approval granted / ~~refused~~ / ~~extended~~ / ~~withdrawn~~
19. Place Helsinki
20. Date 21.04.2022
21. Signature


Marko Sinerkari
Chief, Type-approvals



E17*55R02/01*0020*00

22. The list of documents deposited with the Type Approval Authority which has granted approval is annexed to this communication and may be obtained on request:

- Information document Type B190, 36 pages
- Test report TM*T196*R55*00422, 21.04.2022, 8 pages
- Test report VTTRTE V66/01, 06.08.2001, 21 pages
- Test report VTT-S-11273-08, 18.12.2008, 6 pages
- Test report VTT-S-04160-09, 01.07.2009, 30 pages
- Test report VTT-S-05458-12, 30.08.2012, 7 pages
- Test report VTT-S-06282-13, 11.09.2013, 10 pages
- Test report VTT-S-00183-17, 26.01.2017, 13 pages

Total number of pages: 131

E17*55R02/01*0020*00

